



- ① ALL EXTERIOR LIGHTING MUST COMPLY WITH THE CITY OF FLORENCE CODE SECTION WHICH REQUIRES LIGHTS TO BE DIRECTED TO THE GROUND .
- ② THE ADDRESS SHALL BE PROVIDED ON THE BUILDING IN A LOCATION WHICH IS PLAINLY VISIBLE FROM THE STREET, OF CONTRASTING COLOR, A MINIMUM IF 4" INCHES IN HEIGHT.
- ③ THIS EXISTING ACCESSIBLE PARKING SPACE IS THE ONE REQUIRED TO BE VAN ACCESSIBLE and IS CONSTRUCTED PER DETAIL 2/C1 .
- ④ EXISTING RAMP ACCESSIBLE ROUTE TO BUILDING . EXISTING MAXIMUM IS LESS THAN SLOPE 1/2 . EXISTING MAXIMUM CROSS SLOPES DOSE NOT EXCEED 1/8" .
- ⑤ EXISTING LANDSCAPING .
- ⑥ EXISTING ENCLOSED TRASH ENCLOSURE WITH EXISTING FLOOR DRAIN .
- ⑦ EXISTING PARKING LOT LIGHT POLE AND LIGHTING .
- ⑧ EXISTING SOFFIT LIGHTING . (4) CAN LIGHTS AT ENTRANCE STAIRS AND LANDING . 12"-0" O.C. CAN LIGHTS AT FRONT OF BUILDING 4'-0" SOFFIT AND THE EAST AND WEST BUILDING DECK SOFFIT .
- ⑨ NO FENCING IS BEING PROPOSED AT THIS TIME .
- ⑩
- ⑪
- ⑫



C1