


Ghent, Solid Black Recycled Rubber, 4 x 8, Bulletin Board w- Aluminum Frame

RECYCLED RUBBER BULLETIN BOARDS

Aluminum (ATR)

Recycled rubber bulletin board with aluminum frame.

- Go "GREEN" – tack surface manufactured from 90% post-industrial material
- Satin Aluminum frame is 75% post-industrial material
- Tack surface is self-healing and will stand up under the heaviest of use
- Surfaces available in Confetti (CF), Tan Speckled (TN), and Black (BK)




Product ID: ATR48-BK

Aluminum Frame Recycled Rubber Bulletin Boards

Product Specifications

ghent.



Materials:

- Framing: Satin anodized 6063-T5 aluminum extrusion
- Tack Surface: 1/16" thick 90% recycled black rubber and 10% virgin EPDM, 100% re-grind laminated to 3/8" thick fiberboard, with a mylar film backing


Features:

- Board hangers are included
- Aluminum frame is permanently attached to the tack surface
- Available in the following colors: CF - Confetti, BK - Black, TN - Tan
- Available in 7 sizes:
3'H x 5'W, 4'H x 4'W, 4'H x 5'W, 4'H x 6'W, 4'H x 8'W, 4'H x 10'W, 4'H x 12'W
- Board is guaranteed for 10 years

Notes:

- For indoor use only

Room 122 – 4 x 8 White Board



Offering a superior writing surface and unsurpassed durability, Ghent's Porcelain Magnetic Whiteboards were made with our customers in mind. The 28-gauge porcelain-on-steel surface is mounted to a 3/8" backing for extra strength. The durable porcelain enameled surface keeps the dry erase board from scratching or denting, even when installed in high-traffic schools and offices. The wear resistant surface does not absorb ink, eliminating staining and ghosting that would otherwise result from repeated use. The easy to wipe surface requires less cleaning, achieving a long-lasting bright white surface without the hassle. Ghent's magnetic whiteboard can be used to post bulletins without worrying the announcement will be erased and includes a black marker and eraser. Each board comes in our sleek Satin aluminum or handmade wood frame. Aluminum framed boards, 3'H x 5'W and larger, include our detachable SmartPak tray that reduces waste and damage during delivery. Our boards are shipped to you in Ghent's worry-free packaging, designed specifically for shipping whiteboards. Ghent's Porcelain Magnetic Whiteboard carries a 50-year warranty and is made in the USA.


Features:

- Magnetic porcelain surface that resists staining, scratching and ghosting to ensure long lasting dependability
- Choose between a Satin anodized aluminum and handcrafted wood frame
- Detachable SmartPak tray for easier installation and reduced potential for damage
- Carries a 50-year manufacturer warranty
- Made in the USA

Product ID: M1-48-4

48.5" x 96.5" Aluminum Frame Porcelain Magnetic Whiteboard, 1 Marker, 1 Eraser

Room 120 – 4 x 6 White Board



Offering a superior writing surface and unsurpassed durability, Ghent's Porcelain Magnetic Whiteboards were made with our customers in mind. The 28-gauge porcelain-on-steel surface is mounted to a 3/8" backing for extra strength. The durable porcelain enameled surface keeps the dry erase board from scratching or denting, even when installed in high-traffic schools and offices. The wear resistant surface does not absorb ink, eliminating staining and ghosting that would otherwise result from repeated use. The easy to wipe surface requires less cleaning, achieving a long-lasting bright white surface without the hassle. Ghent's magnetic whiteboard can be used to post bulletins without worrying the announcement will be erased and includes a black marker and eraser. Each board comes in our sleek Satin aluminum or handmade wood frame. Aluminum framed boards, 3'H x 5'W and larger, include our detachable SmartPak tray that reduces waste and damage during delivery. Our boards are shipped to you in Ghent's worry-free packaging, designed specifically for shipping whiteboards. Ghent's Porcelain Magnetic Whiteboard carries a 50-year warranty and is made in the USA.


Features:

- Magnetic porcelain surface that resists staining, scratching and ghosting to ensure long lasting dependability
- Choose between a Satin anodized aluminum and handcrafted wood frame
- Detachable SmartPak tray for easier installation and reduced potential for damage
- Carries a 50-year manufacturer warranty
- Made in the USA

Product ID: M1-46-4

48.5" x 72.5" Aluminum Frame Porcelain Magnetic Whiteboard, 1 Marker, 1 Eraser

Room 115 – 4 x 5 White Board



Offering a superior writing surface and unsurpassed durability, Ghent's Porcelain Magnetic Whiteboards were made with our customers in mind. The 28-gauge porcelain-on-steel surface is mounted to a 3/8" backing for extra strength. The durable porcelain enameled surface keeps the dry erase board from scratching or denting, even when installed in high-traffic schools and offices. The wear resistant surface does not absorb ink, eliminating staining and ghosting that would otherwise result from repeated use. The easy to wipe surface requires less cleaning, achieving a long-lasting bright white surface without the hassle. Ghent's magnetic whiteboard can be used to post bulletins without worrying the announcement will be erased and includes a black marker and eraser. Each board comes in our sleek Satin aluminum or handmade wood frame. Aluminum framed boards, 3'H x 5'W and larger, include our detachable SmartPak tray that reduces waste and damage during delivery. Our boards are shipped to you in Ghent's worry-free packaging, designed specifically for shipping whiteboards. Ghent's Porcelain Magnetic Whiteboard carries a 50-year warranty and is made in the USA.


Features:

- Magnetic porcelain surface that resists staining, scratching and ghosting to ensure long lasting dependability
- Choose between a Satin anodized aluminum and handcrafted wood frame
- Detachable SmartPak tray for easier installation and reduced potential for damage
- Carries a 50-year manufacturer warranty
- Made in the USA

Product ID: M1-45-4

48.5" x 60.5" Aluminum Frame Porcelain Magnetic Whiteboard, 1 Marker, 1 Eraser

Room 106 – 4x4 White Board



Offering a superior writing surface and unsurpassed durability, Ghent's Porcelain Magnetic Whiteboards were made with our customers in mind. The 28-gauge porcelain-on-steel surface is mounted to a 3/8" backing for extra strength. The durable porcelain enameled surface keeps the dry erase board from scratching or denting, even when installed in high-traffic schools and offices. The wear resistant surface does not absorb ink, eliminating staining and ghosting that would otherwise result from repeated use. The easy to wipe surface requires less cleaning, achieving a long-lasting bright white surface without the hassle. Ghent's magnetic whiteboard can be used to post bulletins without worrying the announcement will be erased and includes a black marker and eraser. Each board comes in our sleek Satin aluminum or handmade wood frame. Aluminum framed boards, 3'H x 5'W and larger, include our detachable SmartPak tray that reduces waste and damage during delivery. Our boards are shipped to you in Ghent's worry-free packaging, designed specifically for shipping whiteboards. Ghent's Porcelain Magnetic Whiteboard carries a 50-year warranty and is made in the USA.

Features:

- Magnetic porcelain surface that resists staining, scratching and ghosting to ensure long lasting dependability
- Choose between a Satin anodized aluminum and handcrafted wood frame
- Detachable SmartPak tray for easier installation and reduced potential for damage
- Carries a 50-year manufacturer warranty
- Made in the USA


Product ID: M1-44-4

48.5" x 48.5" Aluminum Frame Porcelain Magnetic Whiteboard, 1 Marker, 1 Eraser

Room 104 White Board

Proma Projection Surface (PRM1)

Item Prefix: PRM1



Porcelain markerboards just got a lot more valuable to your school or business. Proma boards have a porcelain-on-steel low luster finish surface that reduces projection glare by 70% compared to a standard markerboard. This makes it the most practical board to use for presentations, slideshows, or educational purposes. Features include an aluminum framed magnetic surface that functions as a projection board, dry-erase board and as a durable surface for displaying visual aids. Each board comes complete with a 1" natural cork maprail, four color markers and a eraser. Board surface carries a 50 year manufacturer guarantee.


Product ID: PRM1-48-4
4 x 8 Projection Marker Board with Markers

5/2/2017

PRM1 Series

PROMA Projection Surface Boards

ghent.



Materials:

- Framing and detached accessory tray: Satin anodized aluminum extrusion.
- Projection surface: White porcelain enameled aluminized steel sheet laminated to 1/4" thick hardboard with a mylar film backing.
- Accessory tray end caps: Gray thermoplastic

Features:


- Full length 1" wide maprail, with natural cork installed.
- (1) eraser and (4) color erasable markers included.
- Mounting hardware included.
- Guaranteed for fifty years.
- Available in 4 board sizes:

Nom.	Actual
3'H x 4'W	(36-7/16" x 47-7/16")
4'H x 4'W	(47-7/16" x 48-7/16")
4'H x 6'W	(47-7/16" x 72-1/2")
4'H x 8'W	(47-7/16" x 96-1/2")

Room 113 Cork Board

Premium Aluminum & Wood

Item Prefix: 059 & 066



Extra-thick natural cork surfaces make Ghent's premium natural cork bulletin boards the quality choice. Its fine-grain appearance creates a traditional look. The smooth, resilient tack surface remains soft and pliable for years. Puncture marks heal quickly and the holding qualities of the premium natural cork will not be affected. Premium natural cork bulletin boards feature a heavy-duty, deluxe framing and are backed by a ten-year guarantee.


Product ID: 05920
4 x 8 Natural Premium Cork Board

5/2/2017

059 Series

Aluminum Framed Premium Bulletin Boards

ghent.



Materials:

- Framing: Satin anodized 6063-T5 aluminum extrusion.
- Tack surface: $\frac{1}{8}$ " fine grain natural cork laminated to $\frac{3}{8}$ " thick fiberboard, with a mylar film backing

Features:

- Board hangers are included
- Aluminum frame is permanently attached to the tack surface
- Available in the 5 sizes: 3'H x 5'W, 4'H x 4'W, 4'H x 5'W, 4'H x 6'W, 4'H x 8'W
- Board is guaranteed for 10 years

Notes:

- For indoor use only

Room 128 – Vestibule Enclosed Letter board

Ovation

Item Prefix: OVG & OVK



Add life to your message in an eye-catching Ovation radius enclosed letterboard. Constructed for durability, the powder coated aluminum trim along with radius corners create a sleek look that will last beautifully for years. The aluminum framing can be finished in either gray or black. Ovation comes with either hinged, shatter-resistant acrylic doors or with two sliding, tempered glass doors. Both door options include locks for added protection. The changeable letter panel features precision grooves for easy letter insertion and comes complete with a set of 3/4" gothic letters, numbers and characters. Choose between two felt letter panel colors: black or burgundy. The stylish good looks of the Ovation radius enclosed will capture your audience's attention every time.


Product ID: OVNMB3-F95

34"x47" 2-Door Sliding Ovation Black Fabric Bulletin Board - Maple
Wood Look Finish/Black Corners



DESK CUBE'S 1 of 2


Item	Color	✓	✗	✗	✗	Preview	Mfg	Cat	Part Number	Part Description	Category	Qty	List	Ext List
1		✓					FRI	FRN	FHFAPA.5342E	42"W x 53"H Monolithic panel, fabric covered, powered ... Skipped Option ... Skipped Option	PANEL	3		
2		✓					FRI	FRN	FHFAPA.5330E	30"W x 53"H Monolithic panel, fabric covered, powered ... Skipped Option ... Skipped Option	PANEL	3		
3		✓					FRI	FRN	FHFAPA.5336N	36"W x 53"H Monolithic panel, fabric covered, non-powered ... Skipped Option ... Skipped Option	PANEL	12		
4		✓					FRI	FRN	FHFAPA.3936N	36"W x 39"H Monolithic panel, fabric covered, non-powered ... Skipped Option ... Skipped Option	PANEL	6		
5		✓					FRI	FRN	FHERWS.3072 L	72"W x 30"D Rectangular Worksurface ... Skipped Option ... Skipped Option	WORKSURFACE	9		
6		✓					FRI	FRN	FHERWS.2442 L	42"W x 24"D Rectangular Worksurface ... Skipped Option ... Skipped Option	WORKSURFACE	9		
7		✓					FRI	FRN	FPEDSQP.BBF -MET	Box/Box/File Pedestal ... Skipped Option ... Skipped Option	PEDESTALS	9		
8		✓					FRI	FRI	FMA-S	Single Monitor Arm ... Skipped Option	ACCESSORY	9		
9		✓					FRI	FRN	FHBPE	Base Power Entry, Direct Connect, 4 Circuit		1		
10		✓					FRI	FRN	FHRECP4.III	4 Circuit Receptacle, Circuit C ... Skipped Option	ELECTRICAL - POWER	4		
11		✓					FRI	FRN	FHRECP4.II	4 Circuit Receptacle, Circuit B ... Skipped Option	ELECTRICAL - POWER	4		
12		✓					FRI	FRN	FHRECP4.I	4 Circuit Receptacle, Circuit A ... Skipped Option	ELECTRICAL - POWER	4		
13		✓					FRI	FRN	FHDPP	Data Port Plate 2.125"H		6		
14		✓					FRI	FRN	FDRSH.46	48"H Same Height Draw Rod		9		
15		✓					FRI	FRN	FHFE.53	53"H Finished End ... Skipped Option	PANEL CONNECTOR	7		
16		✓					FRI	FRN	FH4W.53	53"H 4-Way 90 Deg Connector Hard Surface ... Skipped Option	PANEL CONNECTOR	2		
17		✓					FRI	FRN	FH3W.53	53"H 3-Way 90 Deg Connector Hard Surface ... Skipped Option	PANEL CONNECTOR	1		
18		✓					FRI	FRN	FDRSH.34	34"H Same Height Draw Rod		3		
19		✓					FRI	FRN	FHFE.39	39"H Finished End ... Skipped Option	PANEL CONNECTOR	3		
20		✓					FRI	FRN	FHFB.18	18" Flat Bracket		9		
21		✓					FRI	FRN	FHSMLS.30	30"D Square Metal P-Leg, Single Support ... Skipped Option	WORKSURFACE SUPPORT	9		
22		✓					FRI	FRN	FWSTA.48	48"H Wall Start	PANEL CONNECTOR	2		
23		✓					FRI	FRN	FWSTA.34	34"H Wall Start	PANEL CONNECTOR	1		
24		✓					FRI	FRN	FDR.34	34"H Draw Rod, Power Pole/Wall Start		1		
25		✓					FRI	FRN	FDR.48	48"H Draw Rod, Power Pole/Wall Start		2		


Item	Color					Preview	Mfg	Cat	Part Number	Part Description	Category	Qty	List	Ext List
26		✓					FRI	FRN	FHFECH.14	14" Finished End Change of Height	PANEL CONNECTOR	2		
									...	Skipped Option				
										Grand Total				



34








FINISHES




MONOLITHIC




SEE SYSTEMS FINISH GUIDE FOR AVAILABLE FINISHES

TECHNICALS



- 5.5X7, 37"/45"H
DESIGN 2 WEDGE WORKSURFACE**
- Perforated metal base segment
 - Wedge worksurface
 - Frameless glass
 - Box/File mobile pedestal with cushion
 - Upmount sliding overhead



- 7X7, 53"/69"H
MONOLITHIC TEAM**
- Monolithic partial glazed panels
 - File/File mobile pedestals
 - Tower and pneumatic overhead

FEATURES & BENEFITS

- Available as either monolithic or pre-built segmented panels
- Glass: Partial glazed handles
- Overhead: Pneumatic pedestal
- 30" high, perforated metal, fabric and acoustical panels
- New support and overhead options
- 2-point fender and 24 fabric
- Limited Lifetime Warranty to original owner

GENERAL DIMENSIONS

Monolithic Panels

H: 37" / 45" / 53" / 69"
W: 24" / 30" / 36" / 42"

Monolithic Partial Glazed Panels

H: 37" / 45" / 53" / 69"
W: 24" / 30" / 36" / 42"

Segmented Panels

H: 37" / 45" / 53" / 69"
W: 24" / 30" / 36" / 42"

ELECTRICAL/TECHNICAL

- Power/Electrical: 4-20-amp outlets with easy connections
- Ribbon cable connections
- Cable tray: 10" x 4" x 2" / 10" x 4" x 2" / 10" x 4" x 2" / 10" x 4" x 2"
- Hanging at 24" / 24" / 24" / 24" / 24" / 24" / 24" / 24"

ENVIRONMENT


- Up to 100% recycled content (50% pre-consumer, 50% post-consumer and typical contribution)
- Up to 100% recyclable at end of life
- Also available in LED panels



NOVO

"As the perfect integration of function and design, Novo will be the future of Friant."

PAUL FRIANT






Novo is a new type of system — based on a monolithic panel, we've integrated the segmented look that ships pre-assembled, for a great aesthetic, dual to without complex installation requirements. Mix and match fabric, whiteboard, perforated metal and glass.

Bypass additional labor and installation costs with pre-built segmented panels, including integrated whiteboard.

Design features include a slim case that runs flush with the panels, a variety of leg and worksurface designs, new storage and fresh Cloud White finish. Glass is available glazed or frameless.



Our newest system, Novo, combines the installation ease of monolithic panels with the design aesthetic of segmented panels, shipped pre-built from Friant.

Room 117- Eurotech Apollo Model 945sl

apollo MFT945SL

OVERALL DIMENSIONS >

26"W x 24"D x 40.6-44.1"H

SEAT 20.5"W x 19.3"D

BACK 19.5W x 20"H

WEIGHT 54 lbs

SEAT HEIGHT 18.5 - 22.4"

CUBE 6.1

KEY FEATURES >

A [Tilt Tension Control

B [Center Tilt

D [Tilt Lock

E [Back-Angle Adjustment

F [Synchro-Tilt

G [Seat Height Adjustment

H [Waterfall Seat

I [Forward Seat Tilt

J [Back Height Adjustment

K [Seat Depth Adjustment


L [Width Adjustable Arms

M [Arm Height Adjustment

N [Seat Angle Adjustment

AVAILABLE COLORS >

Black Mesh/Fabric Combo



- Use not to exceed 40 hours per week
 - 250 lb. rating

Room 126 Conference Seating



- Pneumatic Seat Height Adjustment
- Side Activated Tilt Tension Control
- Seat and Back Tilt as a unit
- 3 Locking Positions
- Forward Pitch Seat Lock
- Reduced Rise of Front of Seat
- Rated for 250 lbs




60mm Hoodless
Hard Floor Casters

WIDTH:	28.0
DEPTH:	27.5
HEIGHT:	36.0-40.75
SEAT WIDTH:	19.0
SEAT DEPTH:	16.0
SEAT HEIGHT:	18.0-22.5
BACK WIDTH:	18.0
BACK HEIGHT:	19.5
WEIGHT:	43.0 LB



Product ID: 3300-K3-A34-C6S
Mid Back Fully Mesh seat and Back Conference Room Chairs with Loop
Arms, 5 Star Base and Knee Tilt and Hard Floor Casters




HON.

600 Series Three-Drawer Lateral File, 42w x 19-1/4d, Light Gray

HON693LQ

- Counterweight included, where applicable, to meet ANSI/BIFMA stability requirements.
- Lock secures both sides of drawer.
- Heavy-duty, three-part, telescoping, steel ball bearing suspension for smooth drawer operation.
- Mechanical interlock allows only one drawer to be open at a time to inhibit tipping.
- Four adjustable leveling glides help compensate for uneven flooring.
- Drawers include side-to-side hangrails for letter or legal size filing.
- Bright, anodized aluminum recessed drawer pulls, magnetic label holder.
- HON® "One Key" interchangeable core removable locks.

Room 120 – Corridor



HON.

800 Series Four-Drawer Lateral File, 42w x 19-1/4d x 53-1/4h, Light Gray

HON894LQ

- Counterweight included, where applicable, to meet ANSI/BIFMA requirements.
- Three-part, telescoping, steel ball bearing suspension for smooth drawer operation.
- Drawers include side-to-side hangrails for letter or legal size filing, a full-width radius-style pull and magnetic label holder.
- Mechanical interlock allows only one drawer to be open at a time to inhibit tipping.
- Four adjustable leveling glides help compensate for uneven flooring.
- HON® "One Key" interchangeable core removable locks.

Product ID: HON894.L.Q
42"W x 19 1/4"D x 53 1/4"H - 4 Drawer High Lateral Files
List Price \$1544.00 each


Room 106 Guest Seating



CAS0050-AG OM5 Active Soft Caster.




KIT-ARMOM5A | Fixed cantilever arms for OM5 Active chairs.



SLR | Silver Powdercoated Frame.


Product ID: OM5-AG-A-PS-GR1.1020-SLR-AG
Active Stack Chairs with Arms, Blue Chassis, Grade 1 Black Upholstered
Seat, Silver Frame and Soft Casters



PS | Saphire Blue Seat/Back Shell (PS = PolyFlex Saphire)

See Fabric Option(s)


Pattern	Basic
Color	Black
ID	1020



Room 113 Seating



CHM | Chrome Frame.



PS | Sapphire Blue Seat/Back Shell (PS = PolyFlex Sapphire)

Product ID: OM5-AS-N-PS-CHM

Active Armless Stack Chair, Blue Chassis, Chrome Frame, Glides

Conference Room Table, 96 x 42

SIEN-4296-RC

Part Number	Name and Description	List Price
-------------	----------------------	------------

Sienna Conference Table



SIEN-4296-RC

Table Shape: Racetrack

Table Size: 42"D x 96"W

Laminate Color: Woodgrain Laminates

Laminate Colors: Colombian Walnut

Edge: Premium Vinyl Edge

Edge Profile: T10 Edge - Ribbed Chromium

Base Colors: Metallic Silver


Power/Data Management: Miniport Power/Data, Black

Power/Data Management: 2 Power - 2 Data



Power/Data Management: Miniport Power/Data (Single)

Connection Type: 72

Location: Center Center



Miniport features four openings for power or data ports and fluid one touch action. Select from plug or hard wire power options.



T10
Ribbed Profile
Vinyl Edge
15" x 1.25"

5/2/2017

Room 113

Part Number	Name and Description	List Price
-------------	----------------------	------------

Structure 4X Table



STRU-4X-3684-RC

Table Shape: Racetrack

Table Size: 36"D x 84"W

Laminate Color: Woodgrain Laminates


Laminate Colors: Colombian Walnut

Edge: Premium Vinyl Edge


Edge Profile: T10 Edge - Ribbed Chromium

Base Colors: Metallic Silver (QuickShip)

Subtotal:



Product ID: STRU-4X-3684-RC
List Price \$2,214.20



T10
Ribbed Profile
Vinyl Edge
15" x 1.25"

5/2/2017

Room 125 – Round Table

Part Number	Name and Description	List Price
-------------	----------------------	------------



CTNA-24

Cantina Table

Table Shape: Round
Table Size: 24"D
Laminate Color: Woodgrain Laminates
Laminate Colors: Colombian Walnut
Edge: Premium Vinyl Edge
Edge Profile: T5 Edge - Black
Base Colors: Black Sandtex
Table Height: Standard Height - 29
Self Leveling Glides: Self Leveling Glides

Subtotal:

Product ID: CTNA-24
24" Round, Columbian Walnut High Pressure Laminate Table,
with Black T-Mold Edge, Single Column Black Painted Trumpet Pedestal
List Price \$507.00

Room 126 – Conference Table

Part Number	Name and Description	List Price
-------------	----------------------	------------



STRU-4X-4284-RC

Structure 4X Table

Table Shape: Racetrack
 Table Size: 42"D x 84"W
 Laminate Color: Woodgrain Laminates
 Laminate Colors: Colombian Walnut
 Edge: Premium Vinyl Edge
 Edge Profile: T10 Edge - Ribbed Chromium
 Base Colors: Metallic Silver (QuickShip)
 Vertical Wire Management: Table Leg Wire Channel
 undefined: Wire Channel (Pair)
 Horizontal Wire Management: J-shape Wire Management
 J-shape Size: J-shape 48
 J-shape Quantity: J-shape for 48
 Power/Data Management: Miniport Power/Data, Black
 Power/Data Management: 2 Power - 2 Data
 Power/Data Management: Miniport Power/Data (Single)
 Connection Type: 72
 Location: Center Center

Subtotal:

Product ID: SIEN-4284-RC

84 x 42 Racetrack Shaped Conference Table, Columbian Walnut High Pressure Laminate Table, with Chromium Ribbed Edge, and Two Single Column Silver Single Column Bases

5/15/2017

Room 126 Conference Seating



- Pneumatic Seat Height Adjustment
- Side Activated Tilt Tension Control
- Seat and Back Tilt as a unit
- 3 Locking Positions
- Forward Pitch Seat Lock
- Reduced Rise of Front of Seat
- Rated for 250 lbs



60mm Hoodless
Hard Floor Casters

WIDTH:	28.0
DEPTH:	27.5
HEIGHT:	36.0-40.75
SEAT WIDTH:	19.0
SEAT DEPTH:	16.0
SEAT HEIGHT:	18.0-22.5
BACK WIDTH:	18.0
BACK HEIGHT:	19.5
WEIGHT:	43.0 LB



Product ID: 3300-K3-A34-C6S
Mid Back Fully Mesh seat and Back Conference Room Chairs with Loop
Arms, 5 Star Base and Knee Tilt and Hard Floor Casters

5/15/2017

Room 106 – Pricing


	ROOM 106		
	U-SHAPE DESK		

SS-PT34-3072-R-A1	36-30Dx72Wx29H P-Top Desk Right 3" Black Post. 3/4 Height Modesty Panel. PVC Edge.	Spice Walnut	1
SS-BRDG-2442-A1	24Dx42Wx29H Bridge Full Modesty Panel. Grommet in position 2 of Top and Modesty Panel. PVC Edge.	Spice Walnut	1
SS-SPC2-2472-L-A1	24Dx72Wx29H Single Ped Credenza Box-Box-File Left Full Modesty Panel. Grommet. Lock. Pulls: __115SN____. PVC Edge.	Spice Walnut	1
SS-PED-12	22Dx16Wx28H Box-Box-File Surface-Supporting Pedestal Adjustable Glides. Lock. Pulls: __115SN____.	Spice Walnut	1
	SUBTOTAL		

5/5/2017

Room 106 – Field Supervisor 3D






901X

Room 106 – Field Supervisor 2d

DeskMakers



5/5/2017


Room 127– Nilda Taylor Desk Pricing

	ROOM 127 U-SHAPE DESK		
SS-SPD2-3072-R-A1	30Dx72Wx29H Single Pedestal Desk Box-Box-File Right Full Modesty Panel. Lock. Pulls: __115SN__. PVC Edge.	Spice Walnut	1
SS-BRDG-2442-A1	24Dx42Wx29H Bridge Full Modesty Panel. Grommet in position 2 of Top and Modesty Panel. PVC Edge.	Spice Walnut	1
SS-SPC2-2472-L-A1	24Dx72Wx29H Single Ped Credenza Box-Box-File Left Full Modesty Panel. Grommet. Lock. Pulls: __115SN__. PVC Edge.	Spice Walnut	1
AC-TCKB-2248-GR1	Panel/Wall Mounted Fabric Tackboard 22H x 48L. Metal Z-Bracket for mounting. Grade 1. Fabric Pattern: __TBD__. Fabric Color: ____.		1
SS-HCHT-4816-A1	15Dx48Wx16H Overhead Hanging Wall Cabinet Two 16" Doors. Hidden Top.	Spice Walnut	1
SS-LFDB-2429-A1	24Dx72Wx29H Double-Wide Lateral Lock. Pulls: __115SN__. PVC Edge.	Spice Walnut	1
	SUBTOTAL		


Product ID: Multiple
Desk Area

5/9/2017


Room 127 – Nilda Taylor 3d



5/9/2017



Room 127 – Nilda Taylor 2d



Room 115 – Pricing

	ROOM 115 L-SHAPE DESK (P-TOP)		
SS-PT34-3072-R-A1	36-30Dx72Wx29H P-Top Desk Right 3" Black Post, 3/4 Height Modesty Panel. PVC Edge.	Spice Walnut	1
SS-RBBF-2448-L-A1	24Dx48Wx29H Left Return Box-Box-File Ped. Full Modesty Panel. Grommet in position 2 of Top and Modesty Panel. Lock. Pulls: __115SN____. PVC Edge.	Spice Walnut	1
SS-LF2D-1929-A1	19Dx36Wx29H Two-Drawer 36" Lateral File Cabinet Lock. Unit has anti-tip safety mechanism. Pulls: __115SN____. PVC Edge.	Spice Walnut	1
SS-BHTC-3642-A1	15Dx36Wx42H Bookcase Hutch. 1-1/8" top and shelves: 3/4" end panels. PVC Edge.	Spice Walnut	1
	SUBTOTAL		

Room 115 – Inspector A 3d




5/8/2017

Room 115 – Inspector A 3d





5/8/2017



115

Room 115 – Inspector A 2d

DeskMakers




5/8/2017

Room 119 – Pricing


	ROOM 119(RECEPTION) L-SHAPE DESK		

SS-SPD2-3072-R-A1	30Dx72Wx29H Single Pedestal Desk Box-Box-File Right Full Modesty Panel. Lock. Pulls: __115SN___. PVC Edge.	Spice Walnut	1
SS-RBBF-2448-L-A1	24Dx48Wx29H Left Return Box-Box-File Ped. Full Modesty Panel. Grommet in position 2 of Top and Modesty Panel. Lock. Pulls: __115SN___. PVC Edge.	Spice Walnut	1
	SUBTOTAL		


Room 119 – Reception 3d



5/8/2017



Room 119 – Reception 2d



DeskMakers

5/8/2017

Room 116 – Pricing

	ROOM 116		
	L-SHAPE DESK		


SS-SPD2-3072-L-A1	30Dx72Wx29H Single Pedestal Desk Box-Box-File Left Full Modesty Panel. Lock. Pulls: __115SN____. PVC Edge.	Spice Walnut	1
SS-RFFL-2448-R-A1	24Dx48Wx29H Right Return File-File Ped. Full Modesty Panel. Grommet in position 2 of Top and Modesty Panel. Lock. Pulls: __115SN____. PVC Edge.	Spice Walnut	1
SS-LF2D-1929-A1	19Dx36Wx29H Two-Drawer 36" Lateral File Cabinet Lock. Unit has anti-tip safety mechanism. Pulls: __115SN____. PVC Edge.	Spice Walnut	1
SS-BHTC-3642-A1	15Dx36Wx42H Bookcase Hutch. 1-1/8" top and shelves; 3/4" end panels. PVC Edge.	Spice Walnut	1
	SUBTOTAL		

Room 116 – Inspector B 3d




5/8/2017

*116



*116

Room 116 – Inspector B 2d



5/8/2017

Room 117 – Pricing

	ROOM 117 L-SHAPE DESK		
SS-SPD2-3072-R-A1	30Dx72Wx29H Single Pedestal Desk Box-Box-File Right Full Modesty Panel. Lock. Pulls: __115SN__. PVC Edge.	Spice Walnut	1
SS-RFFL-2448-L-A1	24Dx48Wx29H Left Return File-File Ped. Full Modesty Panel. Grommet in position 2 of Top and Modesty Panel. Lock. Pulls: __115SN__. PVC Edge.	Spice Walnut	1
SS-LF2D-1929-A1	19Dx36Wx29H Two-Drawer 36" Lateral File Cabinet Lock. Unit has anti-tip safety mechanism. Pulls: __115SN__. PVC Edge.	Spice Walnut	1
SS-BHTC-3642-A1	15Dx36Wx42H Bookcase Hutch. 1-1/8" top and shelves: 3/4" end panels. PVC Edge.	Spice Walnut	1
	SUBTOTAL		

5/8/2017


Room 117 – Inspector A 3d



DeskMakers




5/8/2017



#117

Room 117 – Inspector A 2d

DeskMakers




5/8/2017

Room 122 – Pricing

	ROOM 122		
	U-SHAPE DESK		
	ADJUSTABLE HEIGHT BASE NOT INCLUDED		


HV-WS07-6072-R-T	Hover 90 Degree Extended Corner worksurface. Right Model. 60W(24"d) x 72L(24"d). 12" radius inside corner. TFL with PVC edge. **NO STIFFENER BAR**.	Spice Walnut	1
SS-CSHL-2484-A1	24Dx84Wx29H Credenza Shells Full Modesty Panel. PVC Edge.	Spice Walnut	1
SS-PED-18	22Dx16Wx28H File-File Surface-Supporting Pedestal Adjustable Glides. Lock. Pulls: __115SN__.	Spice Walnut	1
SS-MBLP-1622	22Dx16Wx28H Box-Box-File Mobile Pedestal Casters (PVC Edge on Top). Lock. Pulls: __115SN__.	Spice Walnut	1
SS-SCFW-2429-A1	24Dx36Wx29H Two-Door Storage Cabinet Full Width Adjustable Shelves. Pulls: __115SN__. PVC Edge.	Spice Walnut	1
AC-TCKB-2236-GR1	Panel/Wall Mounted Fabric Tackboard 22H x 36L. Metal Z-Bracket for mounting. Grade 1. Fabric Pattern: __TBD__. Fabric Color: _____.		1
SS-HCHT-3616-A1	15Dx36Wx16H Overhead Hanging Wall Cabinet Two 16" Doors. Hidden Top.	Spice Walnut	1
SS-BCS5-3672-A1	24Dx36Wx72H Bookcases -- 24" Deep Top 23" Deep 3/4" Thick Side Panels. 1-1/8" shelves. PVC Edge.	Spice Walnut	1
	SUBTOTAL		
FCNPAHB-24-3	ELEC HEIGHT ADJ. BASE		1

Room 122 – GIS 2d



Room 122 – Electric Height Adjustable Base

Corner T Post Base



DESCRIPTION

Electric height 3 stage adjustable base range 24.5"-50" includes (2) T feet at the ends and (1) post foot in the center

NOTES

- Includes (2) T feet at the ends and (1) post foot in the center
- Order worksurface separately
- Base is: **B** - 36"-54"
A - 38"-68"
- Maximum recommended top: 72x96" or 84x84"
- Minimum recommended top: 36x40"
- Weight load 331 lbs

SPECIFICATION OPTIONS

product #: see charts below
base finish: BU Black Umber, CW Cloud White, SV Silver


ORDER EXAMPLE

product #: FCNPAHB-24-3
base finish: CW Cloud White



Product ID: FCNPAHB-24-3

Desk Area

RM #122



Room 122 – GIS 2d



Room 125– Desk Pricing

	ROOM 125 U-SHAPE DESK		
SS-PT34-3072-R-A1	36-30Dx72Wx29H P-Top Desk Right 3" Black Post. 3/4 Height Modesty Panel. PVC Edge.	Spice Walnut	1
SS-BRDG-2448-A1	24Dx48Wx29H Bridge Full Modesty Panel. Grommet in position 2 of Top and Modesty Panel. PVC Edge.	Spice Walnut	1
SS-SPC2-2472-L-A1	24Dx72Wx29H Single Ped Credenza Box-Box-File Left Full Modesty Panel. Grommet. Lock. Pulls: __115SN__. PVC Edge.	Spice Walnut	1
SS-PED-12	22Dx16Wx28H Box-Box-File Surface-Supporting Pedestal Adjustable Glides. Lock. Pulls: __115SN__.	Spice Walnut	1
AC-TCKB-2248-GR1	Panel/Wall Mounted Fabric Tackboard 22H x 48L. Metal Z-Bracket for mounting. Grade 1. Fabric Pattern: __TBD__. Fabric Color: ____.		1
SS-HCHT-4816-A1	15Dx48Wx16H Overhead Hanging Wall Cabinet Two 16" Doors. Hidden Top.	Spice Walnut	1
SS-BCS5-3672-A1	24Dx36Wx72H Bookcases -- 24" Deep Top 23" Deep 3/4" Thick Side Panels. 1-1/8" shelves. PVC Edge.	Spice Walnut	1
SS-LF2D-1929-A1	19Dx36Wx29H Two-Drawer 36" Lateral File Cabinet Lock. Unit has anti-tip safety mechanism. Pulls: __115SN__. PVC Edge.	Spice Walnut	1
	SUBTOTAL		

Product ID: Multiple
Desk Area

5/9/2017


Room 125 – Mike Miller 3d




5/9/2017

*125

~~CTNA 20~~



Room 125 – Mike Miller 2d



5/9/2017

Order Info:

[Product Specifications »](#)



Model:

-Cobra-2-ARRAY-Black

Product:

Cobra


Description:

The Cobra light duty & heavy duty monitor arms are designed with elegant styling, smooth operation, unmatched performance and rugged reliability to meet the demands of today's modern office. The Cobra series dual screen monitor arms are designed to support two monitors for improved ergonomic viewing and comfort.

The minimum monitor weight for single cobra is 2lbs and for dual cobra the minimum weight is 7.5lbs each.

Arm Configuration:

Heavy Duty Dual Array (15-40lbs)



Color:


Black

Specifications:

- Comes with clamp and grommet mount, ideal for all desk mounting configurations
- Adjustable counterbalance cylinder provides smooth 14 ½" of height adjustment with fingertip control, counterbalancing monitors with a combined weight from 15 lbs. to 40 lbs.
- Double extension arms provide a maximum of 30 ¾" extension from the rear edge of the mounting surface to the VESA Plate for greater monitor adjustment on deep or corner workstations
- Arms fold back to a minimum dimension of 8 ¾" to provide maximum desk utilization
- patterns to match most screen types and compliant with VESA mounting standards
- Support beam holds dual 24" monitors at a 25° booking angle for improved ergonomic viewing comfort
- Weight gauge provided to allow for quick and easy counterbalance adjustment of the arm prior to installing the screen. Saves time and guesswork especially for multiple arm installations
- VESA Plate rotates for portrait or landscape viewing with 180° side to side rotation and -90° to +45° tilt for optimal viewing adjustment
- Die cast aluminum construction provides greater stability and contains high recycled material content with full recyclability
- Adjustable rotation limiter to restrict arm rotation to 180°, preventing arms from hitting walls
- Comes with all tools and mounting hardware for quick and easy installation (Tool-free)
-

Room 107 Locker Room

- 8-10 week lead time
- Padlock closures (locks not included)
- Arrives Fully Assembled
- Locker Number Plate 1 – 27
- Surface Mounted
- 18 gauge steel
- Enclosed sides and tow kick
- Sloped tops




Warranty:

All-Welded lockers and cubbies are guaranteed to be free from defects in material and workmanship for the lifetime of the facility. Plastic lockers carry a 20-year warranty from date of invoice. KD lockers are warranted for two (2) years from date of invoice. All other products carry a one (1) year warranty from date of invoice.

Product ID: Multiple/Paint: Platinum #711
(11) 15W x 24D x 72H Lockers & (8) Two-Tiered Lockers

5/5/2017

Room 107 Locker Room




Product ID: Multiple
(11) 15W x 24D x 72H Lockers & (8) Two-Tiered Lockers

5/5/2017


Room 107 Locker Room Specs

#	QTY	Tier	Opgs	Product No	W	D	H	Product Line	ProductDescription	Color Door	Color Frm	Dr. Vent Style	Legs Y/N	Unit Weight	Ext Weight
12	4		0	4805				HK	Steel Pedestal (Color: #729 Parchment)					6	24
13	2		0	MBT48	48	9.5	1.25	HK	Hardwood Bench Top					16	32
14	5	1	5	SK152478-1S	15	24	72/78	HK	1-Tier Standard KD - Starter-Legs			Louvered	Y	79	395
	Adders			4-KD Body color to match door frame color Unit Value:%5.											
15	6	1	6	SK152478-1A	15	24	72/78	HK	1-Tier Standard KD - Adder-Legs			Louvered	Y	67	402
16	3		0	CST2472	72	24	8	HK	Continuous Slope Top - 18 ga.					31	93
17	2		0	CSE24		24	8	HK	Continuous Slope Top End Closures (Pair)					8	15
18	3	2	6	SK151578-2S	15	15	36/78	HK	2-Tier Standard KD - Starter-Legs			Louvered	Y	67	201
	Adders			4-KD Body color to match door frame color Unit Value:%5.											
19	5	2	10	SK151578-2A	15	15	36/78	HK	2-Tier Standard KD - Adder-Legs			Louvered	Y	59	295
	Adders			4-KD Body color to match door frame color Unit Value:%5.											
20	2		0	CST1572	72	15	5	HK	Continuous Slope Top - 18 ga.					21	42
21	1		0	CSE15		15	5	HK	Continuous Slope Top End Closures (Pair)					2	2
22	19		0	KCFB15	15		8	HK	Closed Front Base					2	34
23	3		0	KCSB24		24	8	HK	Closed Side Base					2	5
24	1		0	KCSB15		15	8	HK	Closed Side Base					1	1
25	27		0	RPE100				HK	Recess Pan Escutcheon Plate (Lock Hole Cover)					0	1

5/5/2017



WHIRLPOOL® 7.4 CU. FT. ELECTRIC DRYER WITH QUICK DRY CYCLE



WED85HEFC

Whirlpool® 7.4 cu. ft. Electric Dryer with Quick Dry Cycle

WITH XHPC155YC LAUNDRY PEDESTAL



MAJOR APPLIANCE

[Email product details](#)[Print Product Details](#)[Specifications](#)[Product Literature](#)[Electrical Requirements](#)

Available Colors



Chrome Shadow
Model: WED85HEFC
MAJOR APPLIANCE



White
Model: WED85HEFW
MAJOR APPLIANCE

+ Larger View

AVAILABLE IMAGES 1



Related Products



XHPW155DW
Laundry 123® 15.5" Laundry
Pedestal with Storage Drawer



W10782875
5' Hose Kit for Steam Dryer



W10044609A
Hose Kit for Steam Dryer



XHPC155XW
Laundry 123® 15.5" Laundry



XHP1000XW
Laundry 123® 10" Pedest
White

Pedestal with Chrome Handle
and Storage Drawer

Dimensions

Height	39 Inches	Dimensions shown are for planning purposes only. For complete information, see Installation Instructions packed with product.
Depth	31 Inches	
Width	27 Inches	
Gross Weight	157 LB	

Specifications

Configuration and Overview

ADA Compliant	Yes
Maximum Vent Length	64

Cycle and Options

Number of Dryer Cycles	8
End of Cycle Signal	Yes

Controls

Drum Material	Powder Coat
Drying Rack	Yes Not Included
Interior Light	No
Steam Hose Y Connector	Yes
Control Type	Tap Touch

Dimensions

Key Features

Advanced Moisture Sensing System [more](#)

Tap Touch Controls with Memory [more](#)

EcoBoost™ Option [more](#)

Steam Refresh Cycle [more](#)

Wrinkle Shield™ Option [more](#)

Quad Baffles [more](#)

7.4 Cu. Ft. Capacity [more](#)

Undercounter Installation [more](#)

ENERGY STAR® Qualified [more](#)

Sanitize Cycle [more](#)

Quick Dry Cycle [more](#)

Product Literature


Owners Manual (5850.74 KB)

Dimension Guide (325.25 KB)

Installation Instructions (5539.09 KB)

Warranty (153.92 KB)

Email product details

You may need to install Adobe Acrobat Reader  to view these documents.

UPC Listing

Model "WED85HEFC" UPC: 883049416922


Model "WED85HEFW" UPC: 883049416908

Height	39 Inches
Width	27 Inches
Depth	31 Inches
Depth With Door Open 90 Degree	51 Inches
Maximum Height	39 Inches
Minimum Height	38 3/4 Inches

LAUNDRY 123® 15.5" LAUNDRY PEDESTAL WITH CHROME HANDLE AND STORAGE DRAWER

XHPC155YC

Laundry 123® 15.5" Laundry Pedestal with Chrome Handle and Storage Drawer



MINOR APPLIANCE

[Email product details](#)[Print Product Details](#)[Specifications](#)[Product Literature](#)[Electrical Requirements](#)

Available Colors

[Larger View](#)

AVAILABLE IMAGES 1

**Chrome Shadow**
Model: XHPC155YC
MINOR APPLIANCE**Diamond Steel**
Model: XHPC155YU
MINOR APPLIANCE

Dimensions

Gross Weight 47 LB

Dimensions shown are for planning purposes only. For complete information, see Installation Instructions packed with product.

Key Features

Chrome Handle Provides a Comfortable Grip to Open the Drawer

Raises Your Washer and Dryer to a More Comfortable Height for Loading and Unloading

Pedestal Drawer Offers a Convenient Area to Store Laundry Essentials

Minimizes Bending and Stooping at Doors

Product Literature

Installation Instructions (4610.23 KB)

Email product details


You may need to install Adobe Acrobat Reader  to view these documents.

UPC Listing

Model "XHPC155YC" UPC: 883049256481

Model "XHPC155YU" UPC: 883049262604

WHIRLPOOL® 4.5 CU. FT. FRONT LOAD WASHER WITH TUMBLEFRESH™ OPTION



WFW85HEFC

Whirlpool® 4.5 cu. ft. Front Load Washer with TumbleFresh™ option



MAJOR APPLIANCE

[Email product details](#)[Print Product Details](#)

Specifications

Product Literature

Electrical Requirements

Available Colors



Chrome Shadow
Model: WFW85HEFC
MAJOR APPLIANCE



White
Model: WFW85HEFW
MAJOR APPLIANCE

Larger View

AVAILABLE IMAGES 1



Related Products



WGD85HEFC
Whirlpool® 7.4 cu. ft. Gas Dryer
with Quick Dry Cycle



W10135699
Affresh® Washer Cleaner

Dimensions

Height	39 3/4 Inches	Dimensions shown are for planning purposes only. For complete information, see Installation Instructions packed with product.
Depth	33 5/16 Inches	
Width	27 Inches	
Gross Weight	245 LB	

Specifications

Configuration and Overview

ADA Compliant	ADA Height and Side and Front Reach Compliant
CEE Tier	Tier III (Highest Possible Efficiency Rating)

Controls

Drum Material	Stainless Steel
Energy Factor	2.92
Suspension System	2 Springs 4 Dampers
Control Type	Tap Touch
Automated Dispenser	Precision Dispense
Automatic Load Size Sensing Technology	Yes
Eco Monitor/Efficiency Monitor	No
Internal Heater	Yes

Key Features

TumbleFresh™ Option [more](#)
 ColorLast™ Cycle [more](#)
 Presoak Option [more](#)
 EcoBoost™ Option [more](#)
 Precision Dispense [more](#)
 Steam Clean Option [more](#)
 Adaptive Wash Technology [more](#)
 Smooth Wave Stainless Steel Wash Basket [more](#)
 4.5 cu. ft. Capacity [more](#)
 Undercounter Installation [more](#)
 Add-A-Garment [more](#)
 ENERGY STAR® Certified [more](#)
 Tier 3 [more](#)
 Sanitize Cycle with Heater [more](#)
 Quick Wash Cycle [more](#)
 Visible Ball Balancer [more](#)


Product Literature

[Owners Manual](#) (8357.01 KB)
[Dimension Guide](#) (590.39 KB)
[Installation Instructions](#) (4177.25 KB)
[Energy Guide](#) (331.46 KB)
[Warranty](#) (166.34 KB)

[Email product details](#)

Dimensions

Height	39 3/4 Inches
Width	27 Inches
Depth	33 5/16 Inches
Depth With Door Open 90 Degree	52 3/4 Inches
Minimum Height	38 3/4 Inches
Maximum Height	39 3/4 Inches


You may need to install Adobe Acrobat Reader  to view these documents.

UPC Listing

Model "WFW85HEFC" UPC: 883049416977

Model "WFW85HEFW" UPC: 883049416960

WHIRLPOOL® 6.7 CU. FT. ELECTRIC DOUBLE OVEN RANGE WITH TRUE CONVECTION



+ Larger View

AVAILABLE IMAGES 1



WGE745C0FS

Whirlpool® 6.7 Cu. Ft. Electric Double Oven Range with True Convection

MAJOR APPLIANCE

[Email product details](#)[Print Product Details](#)[Specifications](#)[Product Literature](#)[Electrical Requirements](#)

Available Colors

**Black Ice**Model: WGE745C0FE
MAJOR APPLIANCE**White Ice**Model: WGE745C0FH
MAJOR APPLIANCE**Stainless Steel**Model: WGE745C0FS
MAJOR APPLIANCE

Related Products



Dimensions

Height	47 1/8 Inches	Dimensions shown are for planning purposes only. For complete information, see Installation Instructions packed with product.
Depth	26 1/8 Inches	
Width	29 15/16 Inches	
Gross Weight	225 LB	

Specifications

Configuration and Overview

Size	30
Capacity	6.70

Cooktop Features

Cooktop Element Style	Smoothtop
Cooktop Surface Color	Black
Cooktop Surface Material	Ceramic Glass
Number of Cooking Element-Burners	5
Center Rear Element-Burner Power	100W
Center Rear Element-Burner	6"

Key Features

Frozen Bake™ Technology [more](#)
 True Convection Cooking [more](#)
 FlexHeat™ Triple Radiant Element [more](#)
 Convection Conversion [more](#)
 SteamClean Option [more](#)
 Temperature Sensor [more](#)
 Rapid Preheat (Lower Oven Only) [more](#)
 6.7 Cu. Ft. Capacity
 Easy-Wipe Ceramic Glass Cooktop
 Hidden Bake Element [more](#)
 Dishwasher-Safe Knobs
 #1 Selling Appliance Brand in the U.S.A.

Product Literature

[Owners Manual](#) (1111.17 KB)
[Dimension Guide](#) (226.06 KB)
[Installation Instructions](#) (1448.06 KB)
[Warranty](#) (47.81 KB)

Email product details

You may need to install Adobe Acrobat Reader  to view these documents.

Size	
Center Rear Element-Burner Type	Radiant
Left Front Element-Burner Power	3000W
Left Front Element-Burner Size	12"/9"/6"
Left Front Element-Burner Type	Triple
Left Rear Element-Burner Power	300W/1300W
Left Rear Element-Burner Size	6"
Left Rear Element-Burner Type	Radiant Melt
Right Front Element-Burner Power	3000W
Right Front Element-Burner Size	9"/6"
Right Front Element-Burner Type	Radiant
Right Rear Element-Burner Power	1200W
Right Rear Element-Burner Size	6"
Right Rear Element-Burner Type	Radiant
Oven Features	
Number of Oven Lights	1
Automatic Convection Conversion Temperature Adjust	Yes
Hot Surface Indicator Light	Yes
Power On Indicator Light	Yes
Light Type	Incandescent
Convection Functions	Bake Lower; Broil Lower; Roast Lower
Convection Element Power	1600

UPC Listing


Model "WGE745C0FE" UPC: 883049399324

Model "WGE745C0FH" UPC: 883049399300

Model "WGE745C0FS" UPC: 883049399348

Convection Element Type	True
Bake Element Power	2000W Both
Hidden Bake Element	Yes Both
Broiler Element Power	3600W
Broiler Location	Top of Oven
Number of Oven Racks	2 Upper-2 Lower
Oven Rack Type	Standard (Both)
Number of Rack Guides	2 Upper-5 Lower
Controls	
Drawer Type	None
Handle Material	Metal
Handle Type	Towel Bar
Selections	Clock; Hidden Bake Element; Melt; Timer; Keep Warm Setting; Sabbath Mode; Rapid Preheat; Warm Hold; Language Conversion; Control Lock; Audible Signal; Cook and Hold; Cook Time Indicator; Frozen Bake
ADA Compliant	No
Sabbath Mode	Sabbath Mode
Dimensions	
Depth	26 1/8 Inches
Height	47 1/8 Inches
Width	29 15/16 Inches

AMANA® SIDE-BY-SIDE REFRIGERATOR WITH DAIRY CENTER



+ Larger View

AVAILABLE IMAGES 1



ASI2575FRS

Amana® Side-by-Side Refrigerator with Dairy Center

MAJOR APPLIANCE

[Email product details](#)[Print Product Details](#)[Specifications](#)[Product Literature](#)[Electrical Requirements](#)

Available Colors

**Black**Model: ASI2575FRB
MAJOR APPLIANCE**Black-on-Stainless**Model: ASI2575FRS
MAJOR APPLIANCE**White**Model: ASI2575FRW
MAJOR APPLIANCE

Related Products



Dimensions

Height	68 7/8 Inches	Dimensions shown are for planning purposes only. For complete information, see Installation Instructions packed with product.
Depth	34 5/8 Inches	
Width	35 1/2 Inches	
Gross Weight	258 LB	

Specifications

Configuration and Overview

Refrigerator Type	Side-by-Side
Freezer Capacity	9.17
Refrigerator Capacity	15.32
ADA Compliant	No
Handle Color	Black-on-Stainless
Door Style	Flat
Reversible Door	No
Door Swing	NA

Capacity

Refrigerator Capacity	15.32
-----------------------	-------


Key Features

- Adjustable Door Bins [more](#)
- Gallon Door Storage Bins [more](#)
- Dairy Center [more](#)
- External Ice and Water Dispenser with EveryDrop™ Water Filter [more](#)
- Temp Assure™ Freshness Controls [more](#)
- SpillSaver™ Glass Shelves [more](#)
- Dispenser Control Lockout [more](#)
- 24 cu. ft. Capacity [more](#)

Product Literature

- Owners Manual** (1238.69 KB)
- Dimension Guide** (302.49 KB)
- Installation Instructions** (750.80 KB)
- Energy Guide** (1579.27 KB)
- Warranty** (82.20 KB)

Email product details

You may need to install Adobe Acrobat Reader  to view these documents.

UPC Listing

Freezer Capacity	9.17
Dimensions	
Depth	34 5/8 Inches
Height	68 7/8 Inches
Width	35 1/2 Inches
Cutout Depth	27 1/2 Inches
Cutout Height	69 3/8 Inches
Cutout Width	36 Inches
Height To Top Of Cabinet	68 7/8 Inches
Depth With Door Open 90 Degree	49 7/8 Inches
Depth Excluding Doors	27 1/2 Inches
Depth Closed Excluding Handles	32 3/8 Inches
Width of Cabinet Only	35 1/2 Inches
Freezer Features	
Interior Shelves	3 Fixed Full Width Wire
Filtration and Dispensing	
Dispenser Type	Exterior Ice and Water
Icemaker	Factory Installed
Refrigerator Features	
Number of Interior Shelves	4
Spill-Proof Glass Shelves	3 Adjustable Full Width
Conventional Shelves	No
Temperature-Controlled Drawers	No
Humidity-Controlled Drawers	1 Full-Width

Model "ASI2575FRB" UPC: 883049431697
 Model "ASI2575FRS" UPC: 883049431673
 Model "ASI2575FRW" UPC: 883049431680

Non Climate-Control Drawers	1 Full Width
Door Bins	3 Adjustable Full-Width

WHIRLPOOL® ENERGY STAR® QUALIFIED DISHWASHER WITH SILVERWARE SPRAY

[Larger View](#)

AVAILABLE IMAGES 1

[Product Demo](#)

WDT720PADM

Whirlpool® ENERGY STAR® Qualified Dishwasher With Silverware Spray



MAJOR APPLIANCE

[Email product details](#)[Print Product Details](#)[Specifications](#)[Product Literature](#)[Electrical Requirements](#)

Available Colors

**Black**Model: WDT720PADB
MAJOR APPLIANCE**Black Ice**Model: WDT720PADE
MAJOR APPLIANCE**White Ice**Model: WDT720PADH
MAJOR APPLIANCE**Monochromatic Stainless Steel**Model: WDT720PADM
MAJOR APPLIANCE**White**Model: WDT720PADW
MAJOR APPLIANCE

AMANA® DISHWASHER WITH SOILSENSE CYCLE



ADB1500ADS

Amana® Dishwasher with SoilSense Cycle

Available Colors

Stainless Steel	ADB1500ADS
Black	ADB1500ADB
White	ADB1500ADW

External Dimensions

Dimensions shown are for planning purposes only. For complete information, see Installation Instructions packed with product.

Maximum Height	34 1/2
Minimum Height	33 1/2
Height	34 1/2
Width	23 7/8
Depth	24 1/2
Depth With Door Open 90 Degree	49 1/2

Key Features

- Triple Filter Wash System
- SoilSense Cycle
- SofSound™ Technology II
- 1-Hour Wash Cycle
- 12-Place Setting Capacity
- Heated Dry Option
- High Temperature Wash Option
- 1-24 Hour Delay Start Option
- Sani Rinse Cycle
- Fully Integrated Console With LED Display
- Electronic Controls

Related Products



W10685193
3/4" X 3/8" Elbow Hose Fitting



W10712311
Fine Silverware Carafe



W10712313
Bottle or Vase Dishwasher Holder



W10131216
Do-It-Yourself Dishwasher Manual



8519716
Dishwasher Small Items Filter

Dimensions

Height 34 1/2
Inches

Depth 24 1/2
Inches

Width 23 7/8
Inches

Gross Weight 67 LB

Dimensions shown are for planning purposes only. For complete information, see Installation Instructions packed with product.

Specifications

Configuration and Overview

Tub Material	Plastic
Rack Material	Nylon
Upper Adjustable Rack	2 Position
Water Filtration System	Removable Filter
Control Type	Electronic
Control Location	Hidden

Key Features

Sensor Cycle [more](#)

Silverware Spray [more](#)

In-Door Silverware Basket [more](#)

1-Hour Wash Cycle [more](#)

No One Has Fewer Repairs 20 Years in a Row [more](#)

ENERGY STAR® Qualified [more](#)

Sani Rinse Option [more](#)

Cycle Status Indicator

Normal Cycle [more](#)

Heavy Cycle [more](#)

High Temp Wash [more](#)

Heated Dry Option [more](#)

Soak And Clean Cycle

Cycle Memory [more](#)

Designed, Engineered and Assembled in the U.S.A. with American Pride

Product Literature

CEE Tier	Tier I
----------	--------

Number of Place Settings	15
--------------------------	----

Number of Racks	2
-----------------	---

Cycle and Options

Cycle Selections	Sensor Wash; Heavy; Normal; 1-Hour Wash; Soak & Clean
------------------	---

Option Selections	Heated Dry; Hi Temp Wash; Sani Rinse®; 1-24 Hour Delay; Control Lock
-------------------	--

Controls

Upper Rack Extras	1-11" Cup Shelf; 2-No Flip Clips
-------------------	----------------------------------

Silverware Basket Type	AnyWare™ Basket
------------------------	-----------------

Decibel Level	51
---------------	----

Dimensions

Maximum Height	34 1/2 Inches
----------------	---------------

Minimum Height	33 1/2 Inches
----------------	---------------

Depth With Door Open 90 Degree	49 1/2 Inches
--------------------------------	---------------

[Owners Manual](#) (7915.04 KB)[Dimension Guide](#) (387.29 KB)[Installation Instructions](#) (29996.68 KB)[Energy Guide](#) (369.57 KB)[Warranty](#) (453.49 KB)**Email product details**

You may need to install Adobe Acrobat Reader  to view these documents.

Electrical Requirements

15Amps. 120V.

UPC Listing

Model "WDT720PADB" UPC: 883049340883


Model "WDT720PADE" UPC: 883049340906

Model "WDT720PADH" UPC: 883049340890

Model "WDT720PADM" UPC: 883049340913

Model "WDT720PADW" UPC: 883049340876

Room 118 – waiting area




Product ID: N1401G5

Lesro Newport Arm Chair


Grade 5: Silvertex Meteor Seat vinyl seat

Grade 2: Ridgcrest Meadow fabric back

Silver Frame



MEADOW



METEOR

	<i>W"xD"xH"</i>
Seat Height:	18.5
Arm Height:	27.5
Overall:	23.5 x 24 x 36
Inside:	20 x 18 x 18


- 275 lb. weight capacity
- Ships from California
 - 21-42 Day Lead
 - Grade 6 Shown

Room 126 Clary One Screen



OneScreen™ h3

All-in-one collaboration hubware for meeting rooms and classrooms



Product ID: h3-65

All-in-one collaboration hub on 65" touch screen includes one year Software Subscription, 3 Year / Advanced Hardware Replacement Warranty for 65" touch screen includes all shipping costs, Mobile Cart Over 70" - Supports up to 90" size,

5/15/2017